



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/942,961	08/31/2001	Seung-Cheol Hong	P54428RE	7701

7590 09/05/2006
Robert E Bushnell and Law Firm
1522 K Street NW
Suite 300
Washington, DC 20005-1202

EXAMINER

MYERS, PAUL R

ART UNIT PAPER NUMBER

2112

DATE MAILED: 09/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

09/942,961

EXAMINER

ART UNIT	PAPER
----------	-------

20050615

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Requirement for Information Under 37 C.F.R. § 1.105

1. The reply filed on 3/30/05 is not fully responsive to the prior Requirement for Information Under 37 C.F.R. § 1.105.

This requirement under 37 C.F.R. § 1.105 is in response to the requirements from the remand from the Board of appeals, in accordance with MPEP 704.11(b).

(F) Whether the specification's background of the invention describes information as being known or conventional, which may be considered as an admission of prior art, but such information is unfamiliar to [the] examiner and cannot be found within the application file or from the examiner's search, and further details of the information would be relevant to the question of patentability.

Applicants have not provided any indication as to which of the multiple references cited describes the "conventional system power management apparatus of figure 1".

In response to Applicants argument that The Examiner's requirement has not specified whether the Examiner is referring to Applicants' Patent Application Serial No. 08/814,502 issued as U.S. Patent No. 5,944,803 on the 31st of August 1999, or whether the requirement is specific to Applicants' instant reissue patent application Serial No. 09/942,961 filed on the 31st of August 2001. If the requirement is specific to one application, as opposed to both applications, written clarification is respectfully requested in subsequent Office correspondence. The examiner first notes the 105 requirement is in accordance with the remand from the Board of appeals for application 09/942,961, thus the requirement from the Boards of appeals is for application 09/942,961. Second the instant case in front of the examiner is reissue application 09/942,961. Third the requirement clearly indicated in the header that it was for serial number 09/942,961.

Art Unit: 2112

2. Applicant and the assignee of this application are required under 37 CFR 1.105 to provide the following information that the examiner has determined is reasonably necessary to the examination of this application.

3. In response to this requirement, please provide the citations and a copy of each publication that any of the applicants relied upon to develop the disclosed subject matter that describes the applicant's invention, particularly to the "conventional system power management apparatus of figure 1" including but not limited to the conventional DPMS VESA standards. For each publication, please provide a concise explanation of the reliance placed on that publication in the development of the disclosed subject matter.

In response to this requirement, please provide the citations and a copy of each publication that any of the applicants relied upon to draft the claimed subject matter. For each publication, please provide a concise explanation of the reliance placed on that publication in distinguishing the claimed subject matter from the prior art.

4. The fee and certification requirements of 37 C.F.R. § 1.97 are waived for those documents submitted in reply to this requirement. This waiver extends only to those documents submitted in reply to this requirement under 37 C.F.R. § 1.105 that are included in the applicant's first complete communication responding to this requirement. Any supplemental replies subsequent to the first communication responding to this requirement and any information disclosures beyond the scope of this requirement under 37 C.F.R. § 1.105 are subject to the fee and certification requirements of 37 C.F.R. § 1.97.

5. In responding to those requirements that require copies of documents, where the document is a bound text or a single article over 50 pages, the requirement may be met by

Art Unit: 2112

providing copies of those pages that provide the particular subject matter indicated in the requirement, or where such subject matter is not indicated, the subject matter found in applicants disclosure.

Since the period for reply set forth in the prior Office action has expired, this application will become abandoned unless applicant corrects the deficiency and obtains an extension of time under 37 CFR 1.136(a).

The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. In no case may an applicant reply outside the SIX (6) MONTH statutory period or obtain an extension for more than FIVE (5) MONTHS beyond the date for reply set forth in an Office action. A fully responsive reply must be timely filed to avoid abandonment of this application.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul R. Myers whose telephone number is 571 272 3639. The examiner can normally be reached on Mon-Thur 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on 571 272 3632. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2112

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRM
June 15, 2005


PAUL R. MYERS
PRIMARY EXAMINER